





LEVELI

DE DE LES TORS LES TO

CENTER FOR
PLASMA PHYSICS
AND
FUSION ENGINEERING

UNIVERSITY OF CALIFORNIA LOS ANGELES This document has been approved for public release and sale; its distribution is unlimited.

7 25 030

ON BEAM TRAPPING

G. J. Morales

PPG-357 /

June, 1978



Department of Physics
University of California
Los Angeles, California 90024

This document has been approved for public release and sale; its distribution is unlimited.

AD NO.

78 07 25 030


	UMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FOR
. REPORT NUMBER	2. GOVT ACCESSI	ON NO. 3. RECIPIENT'S CATALOG NUMBER
		The second secon
A. TITLE (and Subtitle)		S. TYPE OF REPORT & PERIOD COV
The state of the s	and the same of th	Technical Vept.
EFFECT OF A DC ELECTR	IC FIELD ON BEAM TRAPPI	6. PERFORMING OPE, TERORT NUMB
The state of the s		PPG-357 (214)
AUTHOR(e)		CONTRACT OR GRANT HUMBER(*)
G. J./MORALES		75/ NØØØ14-75-C-\$476
PERFORMING ORGANIZATION N	AME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, T AREA & WORK UNIT NUMBERS
Physics Department University of Califor	mia	
Los Angeles, Californ		
1. CONTROLLING OFFICE NAME A	IND ADDRESS	12. PEPONT BATE
ONR		Jun 78
Physics Program Offic Arlington, Virginia	e 22217	NUMBER OF PAGES
	ADDRESS(if different from Controlling C	Iffice) 15. SECURITY CLASS. (of this report)
		Unclassified
		15. DECLASSIFICATION/DOWNGRAD SCHEDULE
Approved for public 1	this Report) Telease; distribution us the abatract entered in Block 20, 11 diffe	
	release; distribution w	
Approved for public 1	release; distribution w	
Approved for public 1 7. DISTRIBUTION STATEMENT (of 8. SUPPLEMENTARY NOTES	release; distribution we the abstract entered in Block 20, if different entered entere	rent from Report)
Approved for public 1	release; distribution we the abstract entered in Block 20, if different entered entere	rent from Report)
Approved for public 1 7. DISTRIBUTION STATEMENT (of 8. SUPPLEMENTARY NOTES 9. KEY WORDS (Continue on reverse RUNAWAY BEAM, BEAM 10. APSTRACT (Continue on reverse In the absence of be clamped while to the wave damping which the beam evo	release; distribution us the abstract entered in Block 20, if diffe side if necessary and identify by block TRAPPING etde if necessary and identify by block is wave damping the momentus he wave amplitude increas is present a nonlinear e	number)

401 733

SECURITY CLASSIFICATION OF THIS PAGE (When Data Enforce)

ABSTRACT

In the absence of wave damping the momentum of a weak cold beam can be clamped while the wave amplitude increases secularly in time. When wave damping is present a nonlinear equilibrium is attained in which the beam evolves into a singular charge clump which drifts at constant velocity through the plasma.



It is well known that when a low density fast electron beam is injected into a background plasma it triggers an electrostatic two-stream instability. It has been shown both theoretically^{1,2} and experimentally^{3,4} that this instability leads to the growth of a nearly monochromatic electron plasma wave (single mode) whose amplitude saturates by trapping the beam electrons within its potential troughs. The process of beam trapping is of interest to basic plasma physics studies since it provides an example where coherent nonlinear processes play a dominant role, thus entering the domain where the familiar quasilinear theory based on the random phase approximation is not applicable. On the practical side, saturation by beam trapping limits the maximum energy that can be extracted in travelling wave tube (TWT) devices used extensively to generate microwave radiation.

This letter illustrates the changes produced on the dynamics of beam trapping when an external DC electric field E_0 is applied to the beam particles. This problem is of interest for various reasons: (1) it provides an idealization of the coherent interaction of a population of runaway electrons with collective modes, (2) it explores the possibility of enhancing the efficiency of energy extraction out of beam devices, (3) it simulates the effect of low frequency turbulence on beam nonlinearities. The major effects found in this study are: (1) the beam can be clamped in energy with the momentum push transferred to the wave, (2) the normal beam saturation level can be significantly enhanced by $E_0 \neq 0$ (DC to AC conversion), (3) a dynamic Bernstein-Greene-Kruskal (BGK) equilibrium⁵ is attained when wave damping is included.

The present study is based on the formulation of the small cold beam problem given by O'Neil, et al. The essence of the procedure consists of describing the behavior of the background plasma analytically through a

linear dielectric, and following the exact orbits of the beam electrons in a computer, i.e., the beam is discretized into N particles. The velocity $\mathbf{v}_{\mathbf{j}}$ and position $\mathbf{x}_{\mathbf{j}}$ of the j particle is obtained from

$$m \frac{d}{dt} v_j = eE_0 - eE(t)exp\{i[kx_j(t) - \omega_0 t]\} + c.c.$$
 (1)

where e, m refer to the electron charge and mass, k is the wavenumber of the fastest growing wave, ω_0 is the frequency of the wave in the absence of the beam, and $E(t) = E(0) \exp[-i \int_0^t dt' \delta \omega(t')]$ refers to the slowly changing wave amplitude with $\delta \omega$ being the complex frequency shift. The wave amplitude is determined self-consistently from Poisson's Eq.

$$\left(\frac{\partial \varepsilon}{\partial \omega}\right)_{0} \frac{d}{dt} E = \frac{4\pi e n_{b}}{Nk} \sum_{j} \exp\{-i \left[kx_{j}(t) - \omega_{o}t\right]\}$$
(2)

where n_b is the beam density and ϵ the linear dielectric of the background particles, i.e., $\epsilon(k, \omega_0) = 0$.

The physics associated with $E_0 \neq 0$ is made clear by the two conservation laws associated with Eqs.(1) and (2)

$$\frac{d}{dt} \left[n_b \sum_{j} \frac{mu_j}{N} + k \left(\frac{\partial \varepsilon}{\partial \omega} \right)_0 \frac{|E|^2}{4\pi} \right] = e n_b E_0$$
 (3)

$$\frac{d}{dt} \left[n_b \sum_{j} \frac{m u_j^2}{2N} + 2 \operatorname{Re}(\delta \omega) \left(\frac{\partial \varepsilon}{\partial \omega} \right)_0 \frac{|E|^2}{4\pi} \right] = \operatorname{en}_b \sum_{j}^{u_j} E_0$$
 (4)

with $u_j = v_j - \omega_0/k$. For $E_0 = 0$, Eqs.(3) and (4) are satisfied by balancing the increase in wave amplitude with the simultaneous recoil and trapping of the beam. However, for $E_0 \neq 0$ Eq.(3) indicates that the total momentum of the beam-wave system must increase secularly in time. There are two ways to satisfy this constraint: (1) the beam momentum increases secularly in time with the wave amplitude essentially constant, i.e., the beam runs away,

and (2) the beam momentum remains clamped while the wave amplitude increases secularly. A given state, beam or wave runaway, is determined by the value of E_0 . The threshold value separating the two states is obtained naturally from this formalism because it can be fully scaled. After going through the scaling the equation of motion shows that beam clamping is possible if $E_0 < E_T$, $E_T = m\Omega^2/ek$, $\Omega = \left[(n_b/n_o) \; \omega_p^2/(\partial \epsilon/\partial \omega)_o \right]^{1/3}$, and ω_p is the electron plasma frequency of the background plasma of density n_o . E_T is the saturation amplitude for $E_0 = 0$. Physically, if $E_0 > E_T$ the wave can not cancel the external force, thus leading to a runaway beam. For $E_0 < E_T$ the external push prevents the beam from recoiling, thus the wave continues to be driven by the beam.

To verify the existence of the two runaway states and their dependence on E_0/E_T we have solved numerically for the time evolution of the system using the scaled versions of Eqs.(1), (3), (4). Figure 1 exhibits the time evolution of the scaled amplitude ($A \equiv E/E_T$, $\tau = \Omega t$) and the momentum of the beam $P \equiv \sum ku_j/N\Omega$. The DC field is turned on at $\tau = 10.0$ at a value $E_0/E_T = 2.0$. It is seen that the amplitude saturates at a level slightly larger than that for $E_0 = 0$, but it does not execute the typical trapped particle oscillations because all the beam electrons are untrapped, as indicated by the secular increase in P. In this case the beam runs away, as expected, and the wave-particle resonance is detuned for this particular mode. Of course, other modes with smaller k are expected to be excited as the beam accelerates.

Figure 2(a) shows the time evolution of the wave amplitude for the case $E_0/E_T=0.5$. As predicted, the wave is observed to grow secularly to large amplitude. The $E_0=0$ result is included for comparison. Figure 2(b) shows the evolution of the frequency shift W. An

examination of phase-space (not shown) indicates that the bulk of the beam electrons (> 90%) is trapped within the troughs of the growing wave, as is evident in the amplitude oscillations of Fig. 2(a). In addition, a small secondary runaway beam is created; it arises from the few particles (< 10%) which spill over the potential well as the beam rotates in phase-space.

As indicated by the conservation laws, the beam-wave system can not attain a steady state for $E_0 \neq 0$. To reach a steady state an external dissipation mechanism must be present, e.g., plasma heating, wall heating, radiation leakage. To investigate this effect we introduce a scaled damping factor $\Gamma/2$ whose origin need not be specified. The scaled conservation laws become

$$\frac{d}{d\tau} [P + A^2] = (E_0/E_T) - \Gamma A^2$$
 (5)

$$\frac{d}{d\tau} \left[K + 2WA^2 \right] = \left(E_0 / E_T \right) P - 2W\Gamma A^2 \tag{6}$$

where W is the real part of the scaled $\delta\omega$ and K is the scaled kinetic energy of the beam. A steady state solution of Eqs.(5) and (6) is $A=(E_O/E_Tr)^{\frac{1}{2}}$, P=W=0. However, to satisfy P=0 for all τ , the equation of motion demands that $E_O/E_T=A\sin(kx_j-\theta)$ for some fixed phase factor θ . Since this constraint must hold for all j it follows that all beam particles must occupy the same position, i.e., the beam must evolve into a singular charge clump whose momentum remains fixed although an external electric field is being applied. This unusual nonlinear state is an example of a dynamic BGK equilibrium in which the beam-clump acts as an intermediate agent that transfers the momentum push of E_O , through the wave, to those mechanisms that give rise to Γ . The self-consistency of the clump position and the amplitude demand that $(E_O\Gamma/E_T)^{\frac{1}{2}}<1$ for this steady-state to exist.

Figure 3 illustrates the evolution of A and W for a case $E_0/E_T=0.5$, $\Gamma=0.05$, satisfying the existence criterion. It is seen that the runaway wave saturates and approaches asymptotically the predicted steady state value of $\sqrt{10}$. The frequency shift approaches W = 0, as is required for the steady state. The evolution of the clamped beam toward a singular charge clump is demonstrated in the phase space plots shown in Fig. 4. For $\tau=25.0$ we see the pattern associated with the early wave runaway process typical of the $\Gamma=0$ behavior shown in Fig. 2. However, for late times ($\tau=85.0$) the bulk of the beam particles form a singular clump, as predicted. It is also observed that a small secondary runaway beam is generated, but its presence does not affect the attainment of the singular equilibrium. Of course, physically one expects that the singular charge clump is limited in extent in a real system due to the strong repulsive forces that arise, such an effect is not included in the present formulation.

In summary, the present study shows that when the exact beam dynamics are followed it is possible for a runaway beam to become clamped. This result confirms an earlier prediction⁶ of this effect based on a spatially averaged formalism. The clamping process generates a runaway wave, thus suggesting an efficient method for converting DC to AC energy. When wave damping is present, a dynamic BGK equilibrium is approached in which the beam evolves into a singular charge clump that drifts through the plasma at constant velocity. The stability and limiting factors of this state require further study.

The author thanks Dr. G. Dimonte for useful conversations on this topic.

Work supported by the Office of Naval Research and USDOE Contract No. EY-76-C-03-0010 PA 26.

REFERENCES

- T. M. O'Neil, J. H. Winfrey, and J. H. Malmberg, Phys. Fluids 14, 1204 (1971).
- I. N. Onishchenko, A. R. Liveskii, M. G. Matsiborko, V. D. Shapiro, and V. I. Shevchenko, Sov. Phys.-JETP 12, 281 (1972).
- 3. K. W. Gentle and J. Lohr, Phys. Fluids 16, 1464 (1973).
- G. Dimonte, Ph.D. Dissertation, University of California, San Diego,
 1977 (to appear in The Physics of Fluids).
- I. B. Bernstein, J. Greene, and M. D. Kruskal, Phys. Rev. <u>108</u>, 546 (1957).
- 6. G. J. Morales and Y. C. Lee, APS Bull. 22, 1173 (1977) (submitted to The Physics of Fluids).

FIGURE CAPTIONS

- FIG. 1 Time evolution of the scaled wave amplitude A and average beam momentum P in the beam runaway regime $(E_o > E_T)$, for $E_o = 2.0 E_T$, $\Gamma = 0$.
- FIG. 2 (a) Time evolution of the scaled wave amplitude A and (b) frequency shift W in the clamped beam regime ($E_o < E_T$), $E_o = 0.5 \ E_T$, $\Gamma = 0$. Result for $E_o = 0$ is included for comparison.
- FIG. 3 Evolution toward the dynamic BGK equilibrium in the presence of wave damping, $E_0 = 0.5$, $\Gamma = 0.05$.
- FIG. 4 Phase-space plot showing the formation of a singular charge clump, $E_0 = 0.5$, $\Gamma = 0.05$, (a) $\tau = 25.0$, (b) $\tau = 85.0$.




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4

- "Stabilty Lates for Longitudinal Mayes in lon Beas-Plasma Columns", Phys. Fluids 9, 1261 (1966)(A.V. Wong).
 "Stabilty Lates for Longitudinal Mayes in lon Beas-Plasma Interaction", Phys. Fluids 9, 1064 (1966)(A.D. Fried and M. M. Martine for an Unitable Plasma in Parallel Electric and Magnetic Fields", Phys. Fluids 9, 2428 (1966)

 "Low-Freeder Spatial Response of a Callisional Electron Plasma", Phys. Fluids 9, 292 (1966)(B.D. Fried, A.N. Kaufman and Davis on Electron Mayes, Phys. Ret., 21, 157 (1966)(A. Wong, D. Ludan and Electron Edward Conference Control Electron Mayes, Phys. Ret., 21, 157 (1966)(A. Wong, D. Ludan and E.M. Hill Phys. Plasma and Davis on Electron Edward Conference Control Edward Mayer of Care All Phys. Cont. 1182 (1967)(A. Robertz, A.Y. Wong and J.M. Sellan "Recent on Beast of Care All Phys. Cont. Lett., 21, 25 (1965)(A. Mong, D. Ludan and R.M. Hill Phys. Wong and Davis of Care All Phys. Cont. Lett., 21, 25 (1967)(A. Mong, D. Ludan and R.M. Hill Phys. Wong and Davis of Care All Phys. Control Mongers (1965) (A. Mong, D. Ludan and R.M. Hill Wong and M. M. M. M. Mongers of Phys. Control Mongers (1967) (A. Mong, D. Ludan and R.M. Hill M. M. Manner, Mechanical Study of the Electron Gas Vis the Test Perticie Method", Dissortation, North (1967)(M.E. Renaink), Phys. Rev. Lett., 21, 22 (1967), Phys. Renaink), Phys. Rev. Lett., 22 (1967), Phys. Rev. Lett., 22 (1967), Phys. Renaink), Phys. Rev. Lett., 22 (1967), Phys. Rev. Lett., 22 (1967), Phys. Renaink), Phys. Rev. Lett., 22 (1967), Ph
 - The Expension and Diffusion of an Isolated Plasma Column", Dissertation, May(1967)(J. Myzan). "Two-bole Approximation for the Plasma Dispersion Function", Phys. Fluids <u>11,</u> 249 (1968)(B.D. Fried, C.L. Medrick and
- PPG-24
- PPG-26 PPG-27 PM-28 PM-39 PM-39
- PROCESS TO CONDING RELEASED TO FER NAME (1986) (A.Y. WORD).

 The parametric floweringstion of Electron Amanay Phanomena", Dissritation, August (1987) (J.S. Gefroot).

 The parametric flowering stion of Electron Amanay Phanomena", Dissritation and Diffusion in Plasmas, June Physics (A.Y. WORD).

 The staticide Amanay Phys. Rev. Lett., 20 138 (1986) (D. M. Mairs, M.A. Matra and A.Y. Word).

 The Amanagement of the Amana and Phanomena", Dissritation, March (1986) (J.S. Matra and A.Y. Word).

 The Amanagement of the Amana and Phanomena" of the Amana and Physics of the Amana (statuburd to Versia) of the Amana and Physics of the Amana (statuburd to Versia) of the Amana and Physics of the Amana (statuburd to Versia) of the Amana and Physics of the Amana (statuburd to Versia) of the Amana and Physics of the Amana (statuburd to Versia) of the Amana (statuburd to Versia) of the Amana and Physics of the Amana (statuburd to Versia) of the Amana and Physics of the Amana (statuburd to Versia) of the Amana and Versia) of the Amana and Versia) of the Amana (statuburd to Vers
 - 41-944 PPC-46
- PPG-18 PPG-50 PPG-51 PPG-51
- Theory of steaming the Large Ampairment of the Collaboration of the Collaboration of Strong Lon Nurse House and Endow Theory of Taylor and H. Heai).

 Topping Particles and Endows House.

 Topping Particles and Endows Whys. New. Lett., 25, 11 (1970) (H. Heai, R. J. Taylor and D.R. Make Prof. 113 (1970) (H. Heai, R. J. Taylor and D.R. Make Prof. 114 (Taylor and Interaction of Ion-Accoustic Solitors). Phys. New. Lett., 25, 11 (1970) (H. Heai, R. J. Taylor and D.R. Make Prof. 114 (Taylor and Interaction of Ion-Accoustic Solitors). Phys. New. Lett., 27, 26 (1970) (H. Taylor, D. Naher and H. Heai). Phys. New. Lett., 27, 26 (1970) (H. Taylor, D. Naher and H. Heai).

 "Interaction Confined December Section and Ton Recognisms in Magnetomics in Magnetomics in Magnetomics in Magnetomics in Magnetomics in Magnetomics and Endows. Phys. Phids 13, 2344 (1970) (H. Math. Magn.). Phys. Phids 15, 2744 (1970) (H. Magn. Magn.). Phys. Phids 15, 2744 (1970) (H. Magn. Magn.). Phys. Phids 15, 2744 (1970) (H. Magn. Magn.). Phys. Phys. Phys. Phys. 19-544

- "furbulence Structure of Finite Beta Perpendicular Fast Shocks", J. Geophys. Rev., 75, 7007 (1970)(F.V. Coroniti).
 "Steepening of Lon Acoustic Mayes and Formation of Collisionless Electrostatic Shocks". April (1970)(8. Taylor).
 "N Method of Studying Trapped Particles Behavior in Magnetic Geometries", Phys. Rev. Lett., 25, :702 (1970)(C.S. Liu and A.Y. Mongl.)

- - "Collissionless Nave-Particle Interactions Perpendicular to the Magnetic Field", Phys. Rev. Lett., 29, 41 (1972) (A.Y. Mong and D.L. Jassky).

 (A.Y. Mong and D.L. Jassky).

 "Magnetospheric Substorms", Gosmic Plasma Physics , Proc. of Conf. on Cosmic Plasma Phys. held at European Space Research Institute, Frascati, Italy, September, 1971 (Plenum Press, Mari Schindler, 1972)(F. V. Coronits and C.F. Kennel).

PPG-98 PPC-97

66-3dd

- "Magnetopause Motions, UP-2, and the Growth Phase of Magnetospheric Substorms", September (1971)(F.V. Coroniti and C.F. Kannel).

- C.F. Kannell, ...

 C. Kannell, ...

Ph. 174

The list waves in Finite Beta Piassas", Dissertation, October (1972) [M.S. Chance).

The list wave factor formation of Nonlinear Piassas wave Kinetics, Phys. Found in [3, 122] (1973) [K. Minhikasa and B.O. Fried).

The list wave factor formation of Selection Price Piassas wave Kinetics, Phys. Box. Lett., 20, 45 (1973) [K. M. Kineta).

The list washing to Editation of Editorization Adde with Electromycal May. Sci. 10973 [K. M. Stentel).

FRO 13 "Second Editorization of Editorization Adde with Electromycal May. Sci. 10973 [K. L. Stentel).

FRO 13 "Second Editorization of Editorization Adde with Edutorization Adde with Mayor Disas Waves it am Debauded Indicat Magnetic Ending and E. Stentel).

FRO 13 "Editorization of Type I Irragularities in the Equatorial Electrojett, J. Goophys. Res. 25, 4619 (1973) [K. L. Stentel).

FRO 14 "Electromycal Mayor Disas Waves it am Debauded Indicat Magnetorial Electrojett, J. Goophys. Res. 25, 4619 (1973) [K. L. Stentel).

FRO 15 "Electromycal Editorial Personal Personal Magnetorial Electrojett, Stentel).

FRO 16 "Electromycal Editorial Personal Magnetorial Electrojett, Stentel).

FRO 17 "Electromycal Electromycal Editorial Magnetorial Electrojett, Stentel).

FRO 18 "Magnetorial Electromycal Magnetorial Electrojett, Stentel).

FRO 18 "Magnetorial Electromycal Magnetorial Electrojett, Stentel).

FRO 18 "Magnetorial Electromycal Electromycal Magnetorial Electrojett, Stentel).

FRO 18 "Magnetorial Electromycal Electromycal Electromycal Magnetorial Electrojett. Stentel and T. Willow).

FRO 18 "Magnetorial Electromycal Electromycal Electromycal Electromycal Magnetorial Electrojett Freed, The Coronic I and E. Kennel).

FRO 18 "Magnetorial Electromycal Electromycal Electrojett Freed in The Hall Electrojett Freed in The Hall Electrojett Freed in The Hall Electromycal Electr

G. Schwidt).

"Schwildts wodes with Trapped Electrons", Phys. Rev. Lett., 30, 1299 (1973)(A. V. Bong, B. H. Quon and B. Ripin) PHG. 200

"Schwildrand of Lon Accountic Mayers by Electrons Trapping", Phys. Fluid 17, 306 (1974)(N. Abringto, B. H. Quon and B. Ripin) PHG. 200

"Theory of Dielectric Function in a Magnetized Plasma", June (1973) (Y.C. Lee and C.S. Liu).

"Theory of Dielectric Function in a Magnetized Plasma", June (1973) (Y.C. Lee and C.S. Liu).

"Theory of Dielectric Function of the Obellingory No-Stream Instability", June (1973) (N.Y. Mong and G. Schmidt).

"The Ring Current and Magnetic Storms", Radio Sci., 8, 1007 (1973) (F.W. Coroniti).

"The Ring Current and Magnetic Storms", Radio Sci., 8, 1007 (1973) (F.W. Coroniti).

"The Ring Current and Magnetic Storms", Radio Sci., 8, 1007 (1973) (F.W. Coroniti).

"Stably Trapped Proton Fluxes in the Jovian Magnetosphere", Astrophys. J., 22, 261 (1974) (F.W. Coroniti, C.F. Kennel
and R.W. Monte). 959

PPC-150 PPC-151 PPC-152

PPG-153 PPG-154 PPG-154 PPG-155 PPG-15

The standard and control of the cont

Mative lons and Gneration of Intense Neutral Beams", Applied Phys. Lett., 25, 579 (1974)(A.Y. Wong.

The continuent of without the formal training for a foundation of the continuent of without the continuent of without the continuent of without the continuent of the continue

THIS PAGE IS BEST QUALITY PRACTICABLE RROM COPY FURNISHED TO DDC

"Convective Electron Loss Cone Instabilities", M. Ashour-Abdalla and C.F. Kennel. Submitted to J. Geophys. Res. (1976) 81, 4531 (1976). "A Self-Consistent Magnetostatic Particle Code for Numerical Simulation of Plasmas", J. Busnardo-Neto, P.L. Pritchett, "Energetic Radiation Belt Electron Precipitation; A Natural Depletion Mechanism for Stratospheric Ozone," R.M. Thorne, "The Scattering of Cosmic Rays by Magnetic Bubbles", R.F. Flewelling & F.V. Coroniti, Astrophys. J., 205, 135 (1976). "San Francisco Abstracts - Papers to be Presented at San Francisco Meeting of the American Physical Society Division "The Earth's Magnetosphere", F.V. Coroniti, Accepted by Ency. of Phys. (1976). "Lossy Radial Diffusion of Relativistic Jovian Electrons", D.D. Barbosa and F.V. Coroniti, J. Geophys. Res. 81, 4553 "Nonlinear Interactions of Focused Resonance Cone Fields with Plasmas", R. Stenzel and W. Gekelman, Phys. Fluids 20, "The Effect of Pump Cutoff on Parametric Instabilities in an Inhomogeneous Plasma", J. VanDam and Y.C. Lee, (1976). "Relativistic Electrons and Whistlers in Jupiter's Magnetosphere", D.D. Barbosa and F.V. Coroniti, J. Geophys. Res. "Experiments on Parametric Instabilities in Laser-Beam Plasma Interactions", R. Chen, Presented at Nobel Symposium. "The Local Time Variation of ELF Emissions During Periods of Substorm Activity", R.M. Thorne, F.R. Church, "Parametric Instabilities with Finite Wavelength Pump", B.D. Fried, T. Ikemura, K. Nishikawa, and G. Schmidt, Phys. W.J. Malloy, B.T. Tsurutani, J. of Geophys. Res., 82, 1585 (1977). "An Investigation of Relativistic Electron Precipitation Events and their Association with Magnetospheric Substorm "Magnetic Field Reconnection in a Collisionless Plasma", F.V. Coroniti and A. Eviatar, Astrophys. J. Supp. 33, 189 "Plasma Simulation on the CHI Microprocessor System", T. Kamimura, J.M. Dawson, B. Rosen, G.J. Culler, R.D. Levee "Soliton-Like Structures in Plasmas", Y.C. Lee and G.J. Morales, March (1976). To appear in Rocky Mtn. Math. Jr. "Synchro-Compton Radiation Damping of Relativistically Strong Plasma Waves", C.F. Kennel, E. Asseo and R. Pellat, Activity", R.M. Thorne and T.R. Larsen, J. of Geophys. Res. 81, 5501 (1976).
"The Free Electron Laser", T. Kwan, J.M. Dawson & A.T. Lin, Phys. Fluids 20, 581 (1977).
"Stimulated Compton Scattering of Electromagnetic Waves off Plasma Ions", A.T. Lin and J.M. Dawson, Phys. Fluids Y.C. Lee, & G.J. Morales, Phys. Fluids 19, 849 (1976). "The Spiky Turbulence Generated by a Propagating Electrostatic Wave of Finite Spatial Extent", G.J. Morales, "Particle and Wave Dynamics in a Magnetized Plasma Subject to High RF Pressure", W. Gekelman & R.L. Stenzel, "Parametric Excitation of Ion Density Fluctuations in the Relativistic Beam-Plasma Interaction", H. Schamel, R. Thorne, Pure and Applied Geophys. 114, 497 (1976). "Free Boundaries for Plasmas in Surface Magnetic Field Configurations", B.D. Fried, J.W. VanDam & Y.C. Lee, "Departures from Theory of the Experimental Line Profile of Helium | 4471.5A", J. Turechek, January (1976). "Maintenance of the Middle Latitude Nocturnal D-Layer by Energetic Electron Precipitation", W. Spjeldvik & A.T. Lin & J.M. Dawson, J. Comp. Phys. 23, 300 (1977). "Relativistic Effects in Resonance Absorption", J.F. Drake and Y.C. Lee, Phys. of Fluids 19, 1772 (1976). "Stability of Shell Distributions", D.D. Barbosa, Submitted to Planetary and Space Sciences, July (1976). THIS PAGE IS BEST QUALITY PRAULE PRESE Science, 195, 287 (1977). "CTR Using the P-11B Reaction", J.M. Dawson, August (1976). Submitted to Astronomy and Astrophysics, July (1976). of Plasma Physics, November 15-19 (1976). § Y.C. Lee, Phys. Fluids 19, 690 (1976). Phys. of Fluids, 19, 1909 (1976). Phys. Fluids 20, 1316 (1977). of Fluids, 19, 1975 (1976). 20, 538 (1977). PPG-246 PPG-248 PPG-252 PPG-254 PPG-255 PPG-256 PPG-259 PPG-260 PPG-263 PPG-265 PPG-266 PPG-268 PPG-270 PPG-251 PPG-261 PPG-264 PPG-267 PPG-271 PPG-272 PPG-257

FROM COPY FURNISHED TO DUC

"Plasma Heating by a Relativistic Electron Beam with Secondary Instabilities", T. Tajima, J. Plasma Phys. 19, 63 (1978) "Langmuir Waves in a Spatially Periodic Potential", A. Baños, E.S. Weibel, and J.W. VanDam, Phys. Fluids, B.D. Fried, Phys. Fluids, 20, 815 (1977). "Electromagnetic Interactions with Inhomogeneous Plasmas", A.Y. Wong. Submitted to Nuclear Fusion and RPI Oct. (1976). "The Importance of Electrostatic Ion-Cyclotron Instability for Quiet-Time Proton Auroral Precipitation", "Kinetic Theory of Tearing Instabilities", J.F. Drake & Y.C. Lee, Phys. Fluids 20, 1341 (1977).
"Jupiter's Magnetosphere", C.F. Kennel & F.V. Coroniti, Annual Rev. of Astro. & Astrophys., Submitted Nov., 1976.
"Direct Density Display with a Resonance Cone RF Probe", J. Ickovic, R.L. Stenzel & W. Gekelman, Rev. of Scientific "The Alfven-Ion Cyclotron Instability: Its Physical Mechanism and Observation in Computer Simulation", T. Tajima, K. Mima, and J.M. Dawson, Phys. Rev. Lett. 39, 201 (1977). "Phase Mixing in the Continuous Spectrum of Alfven Waves", P.L. Pritchett & J.M. Dawson, Phys. Fluids, Submitted "Particle Orbits and Loss Regions in UCLA Tokamaks", C.P. Lee, January (1977)
"Generation of Density Cavities and Localized Electric Fields in a Nonuniform Plasma", G.J. Morales & Y.C. Lee, Phys. Fluids, 20, 1135 (1977). "Simulation Study of Bernstein Modes", T. Kamimura, T. Wagner & J.M. Dawson. Submitted to Phys. Fluids (1977). "Surface Multipole Guide Field for Plasma Injection", R.A. Breun, B.H. Rael, & A.Y. Wong, Review of Scientific "Low-Z Impurity Control for Reactor Size Tokamaks", R.J. Taylor and L. Oren. "Computer Simulation of Current Penetration in a Plasma", A.T. Lin and J.M. Dawson, Submitted to Phys. Fluids, "Higher Order Adiabatic Invariants and Non-Adiabatic Diffusion for Geometric Mirrors", Y.C. Lee, T.K. Samec, & "Nonlinear Evolution of Collisionless and Semi-Collisional Tearing Modes", J.F. Drake and Y.C. Lee, Phys. Rev. M. Ashour-Abdalla & R.M. Thorne, Geophys. Res. Lett., 4, 45, (1977).
"Self Channeling of Whistler Waves", E.S. Weibel, Phys. Letts. 61, 37 (1977).
"Formation of Potential Double Layers in Plasmas", B.H. Quon & A.Y. Wong, Phys. Rev. Letts., 37, 1393 (1976).
"Plasma Confinement by Surface Magnetic Fields", T.K. Samec. "Possible Origins of Time Variability in Jupiter's Outer Magnetosphere", F.V. Coroniti & C.F. Kennel, Geophy. "Confinement of High & Toroidal Plasmas and Currents in Surface Magnetic Fields", D. Mamas, R.W. Schumacher, "Nonlinear Evolution of the Collisionless Tearing Mode", F.V. Coroniti, Phys. Rev. Lett. 38, 1355 (1977) Res. Lett., 4, 287 (1977). "Coupling of Lower-Hybrid Radiation at the Plasma Edge", G.J. Morales, Phys. Fluids, 20, 1164 (1977). "Model Analysis for Shear Stabilization of Collisionless Drift Waves", Y.C. Lee & T. Tange. "Surface Trappings of Oxygen in Tokamaks and its Removal", Lena Oren and R.J. Taylor. "The Fluid Theory of the Ponderomotive Effect in a Magnetized Plasma", E.S. Weibel. submitted June, 1977. "Quasi-Linear Theory for Non-Uniform Turbulence", E.S. Weibel, June, 1977. "Active Stimulation of Ionospheric Plasma", A.Y. Wong, April, 1977. "The Ponderomotive Effect in a Magnetized Plasma", E.S. Weibel. "Super Conducting Surmacs", A. Wong and L. Miller, May (1977). A.Y. Wong and R.A. Breun, submitted to Phys. Rev. Lett. Instr. 48, 485 (1977). Instruments 48 (1977). Lett. 39, 453 (1977). March, 1977. PPG-276 PPG-289 PPG-275 PPG-278 PPG-282 PPG-294 PPG-297 PPG-281

R. J. Taylor. "A Magnetohydrodynamic Particle Code for Fluid Simulation of Plasmas," J. N. Leboeuf, T. Tajima and J. M. Dawson. "Particle-Caviton Interactions," A. Y. Wong, P. Leung, and D. Eggleston. Submitted to Phys. Rev. Lett., August, "Stabilization of the Alfven-Ion Cyclotron Instability in Inhomogeneous Media," T. Tajima and K. Mima, submitted To be published in the "Nonlinear Evolution of Drift Alfven and Double Tearing Instabilities," A. T. Lin. Submitted to Phys. Fluids, "Self-Consistent Potential for a Relativistic Magnetized Electron Beam Through a Metallic Boundary," T. Tajima "Computer Simulation Study of Waves in Bounded Plasma with Application to Lower Hybrid Heating," Viktor Decyk, Submitted to Phys. "Computer Model for Bounded Plasma," Viktor K. Decyk and John M. Dawson, submitted to the J. of Computational "Anomalous Diffusion and Resistivity of a Turbulent Plasma," R. L. Stenzel and W. Gekelman, submitted to Phys. "Modulational Instability of Strongly Dispersive Drift Waves and Formation of Convective Waves," K. Mima and "Properties of Large Amplitude Langmuir Solitons," M. D'Evelyn and G. J. Morales, submitted to Phys. Fluids, "Kinetic Theory of the Internal m = 1 Resistive Mode," J. F. Drake, Y. C. Lee, L. Chen, P. H. Rutherford, P. K. Kaw, J. Y. Hsu, and C. S. Liu. Submitted to Phys. Fluids.
"Some Safety Considerations in Laser Controlled Thernomuclear Reactors," T. E. Botts, D. Breton, C. K. Chan, Dissertation, November, 1977. "Double-Layer Forward Shocks in an MHD Fluid," T. Tajima, J. N. Leboeuf, and J. M. Dawson, Phys. Rev. Lett. "Some Safety Considerations for Conceptual Tokamak Fusion Power Reactors," W. E. Kastenberg, and D. Okrent. "Coupling of Tearing Modes by Toroidal Effects," J. F. Drake. July, 1977. "Atlanta Abstracts - Papers to be Presented at Atlanta Meeting of the American Physical Society Division of "Introduction to Experimental Plasma Physics, Vol. I," A. Wong, November, 1977. "Inductive Reconnection at an X-type Neutral Line," F. V. Coroniti and M. Ashour-Abdalla, November, 1977. Y. C. Lee. Submitted to Phys. Rev. Lett., October, 1977. "Some Safety Considerations for Conceptual Fusion-Fission Hybrid Reactors," W. Kastenburg and D. Okrent. January, 1978. "Efficiency of Antenna Coupling and Propagation of Fast Alfven Modes in Macrotor," G. J. Morales and "Stability Theory of a Relativistic Electron Beam-Plasma System with Finite Geometries," T. Tajima. October, 1977. "Space-Time Resolved Line Radiation in Microtor-Macrotor Tokamaks," L. Oren and R. J. Taylor. "End Plugged Long Straight Systems for Thermonuclear Reactors," J. M. Dawson, October, 1977. "Interchange Instabilities in a Compressible Plasma," P. Pritchett, C.C. Wu and J. Dawson. "CO2 Laser Thomson Scattering from a Pulsed Hydrogen Arc." W.A. Peebles and M.J. Herbst. "Plasma Simulation on the UCLA CHI Computer System," J.M. Dawson, R.H. Huff and C-C Wu. "Particle Orbits and Loss Regions in the UCLA Tokamaks," A. Baños Jr., and C. P. Lee. "Diffuse Auroral Precipitation," M. Ashour-Abdalla and C. F. Kennel, October, 1977. "Topology of Cr Influx in Tokamaks," L. Oren and R. J. Taylor. S. I. Levy, M. Sehnert, and A. Z. Ullman. Plasma Physics, November 7 - 11, 1977." and F. Mako, accepted by Phys. Fluids. Rev. Lett., September, 1977. Physics, December, 1977. Fluids, December, 1977. 40, 652 (1978). August, 1977. PPG-316 PPG-318 PPG-306 PPG-310 PPG-313 PPG-320 PPG-321 PPG-309 PPG-312 PPG-314 PPG-317 PPG-322 PPG-329 PPG-330 PPG-307 PPG-308 PPG-311 PPG-324 PPG-326 PPG-328 PPG-333 PPG-325 PPG-327 PPG-331 PPG-332

THIS PAGE IS BEST QUALITY PRACTICABLE RROM COPY FURNISHED TO DUG

Proceedings of the 1978 National Computer Conference. January, 1978.

"Dynamics of Test Particles in a Turbulent Magnetoplasma", R.L. Stenzel and W. Gekelman, submitted to Phys. Fluids, "Possible Origins of Time Variability in Jupiter's Outer Magnetosphere. 3. Variations in the Heavy Ion Plasma", A. Eviatar, C. F. Kennel, and M. Neugebauer, accepted by Geophys. Res. Lett., April (1978). "Surface Polaritons in LO-Phonon-Plasmon Coupled Systems in Semiconductors", T. Tajima and S. Ushioda, submitted "Ion Sound Turbulence in a Magnetoplasma", W. Gekelman and R.L. Stenzel, submitted to Phys. Fluids, March (1978). submitted to J. of Comp. Phys., March, (1978). "Global Simulation of the Time-Dependent Magnetosphere", J.N. Leboeuf, T. Tajima, C.F. Kennel, and J.M. Dawson, "Excitation of Large Amplitude Plasma Waves by Runaway Electrons", J. N. Leboeuf, T. Tajima, and G. J. Morales, "Kinetic Theory of m = 1 Internal Instabilities," J.F. Drake, submitted to Phys. Fluids, January, 1978. "Magnetic Field Generation by the Rayleigh-Taylor Instability," T. Tajima, K. Mima, and J.N. Leboeuf. To be published in the Proceedings of Topical Meeting of Inertial Confinement Fusion (CLEOS). February, 1978. "Effect of a DC Electric Field on Beam Trapping", G. J. Morales, submitted to Phys. Rev. Lett., June (1978). "Interaction of a Low Density Runaway Beam with Cavity Modes", G. J. Morales, submitted to Phys. Fluids, "Free Electron Laser: An Interaction of a Relativistic Electron Beam with a Static Helical Magnetic Field", "Multi-Harmonic Electron Cyclotron Instabilities", M. Ashour-Abdalla and C. F. Kennel, submitted to Geophys. "Kinetic Theory of Ballooning Instabilities," Y.C. Lee and J.W. VanDam. To be published in the Proceedings of the High-Beta Tokamak Theory Workshop, Varenna, 1977 (by the U.S. DOE). February, 1978. "Excitation of Lower Hybrid Waves in a Finite Plasma," V.K. Decyk, J.M. Dawson, and G.J. Morales, submitted "Small Amplitude Waves in a Hot Relativistic Two Fluid Plasma," S. Hyun and C.F. Kennel, March (1978). "Nonlinear Evolution of Tearing Instabilities: Violations of Constant \u03c4," J.F. Drake, P.L. Pritchett, and "Splines and High Order Interpolations in Plasma Simulations", H. Okuda, A.T. Lin, C.C. Lin and J.M. Dawson, "Phenomenology of Metal Influx in Macrotor", Lena Oren, R. J. Taylor and F. Schirzke, to be published as a "Towards a Unified View of Diffuse Auroral Precipitation", M. Ashour-Abdalla and Richard Mansergh Thorne, "Self-Magnetic Field Generation in a Plasma", S. Obenschain and N. Luhmann, submitted to Phys. Rev. Lett. "Parametric Instabilities and Ion Heating in a Two Ion-Species Plasma", C.C. Lin, A.T. Lin, and H. Okuda. "Penetration of a Plasma into a Linear Cusp", A. J. Lamm and K. F. MacKenzie, submitted to Phys. Fluids, "Explosive Tearing Mode Reconnection in the Magnetospheric Tail," A.A. Galeev, F.V. Coroniti, and M. "On the Possibility of Landau Damping of Gravitational Waves", Stephen Gayer and Charles F. Kennel. Y.C. Lee. Submitted to Phys. Rev. Letts., March (1978). "Safety of Fusion Reactors", Kastenberg, Okrent and Pomraning, October (1977). special supplement to J. of Nuclear Materials, May (1978). submitted to Geophys. Res. Lett, April (1978). Thomas J. T. Kwan, dissertation, May (1978). submitted to Phys. Rev. Lett. April (1978). submitted to J. Geophys. Res. May (1978). to Phys. Fluids. February, 1978. Ashour-Abdalla, March (1978). to Phys. Rev. B., May (1978). Res. Lett., May (1978). March (1978). Y.C. Lee. PPG-348 PPG-349 PPG-350 PPG-335 PPG-355 PPG-346 PPG-351 PPG-354 PPG-356 PPG-336 PPG-337 PPG-338 PPG-339 PPG-341